

sabnzbd

```
version: '3.6'

services:
  traefik:
    container_name: traefik
    domainname: ${DOMAINNAME}
    image: traefik
    restart: unless-stopped
    command: --api.insecure=true --providers.docker --providers.docker.exposedbydefault=false
--entrypoints.web.address=:80 #--providers.docker.defaultRule="Host(`${DOMAINNAME}`)"
    ports:
      - "80:80"
      - "443:443"
      - "8080:8080"
    volumes:
      - /var/run/docker.sock:/var/run/docker.sock
    networks:
      - default
      - discovery
    dns:
      - ${DNS}

sabnzbd:
  image: 'linuxserver/sabnzbd'
  container_name: 'sabnzbd'
  volumes:
    - ./sabnzbd/sabnzbd.ini:/config/sabnzbd.ini
    - sabnzbd-config:/config
    - samba:/samba
  restart: always
  environment:
    - PUID=${PUID}
    - PGID=${PGID}
    - TZ=${TZ}
  networks:
    - discovery
```

depends_on:

- traefik

labels:

- "traefik.enable=true"
- "traefik.http.routers.sabnzbd.rule=Host(`sabnzbd.\${DOMAINNAME}`)"
- "traefik.http.routers.sabnzbd.entrypoints=web"
- "traefik.http.services.sabnzbd.loadbalancer.server.port=8080"

samba:

image: dperson/samba

environment:

- TZ=\${TZ}
- WORKGROUP=WORKGROUP
- USER=bodo;supersecret
- USERID=\${PUID}
- GROUPID=\${PGID}
- PERMISSIONS

networks:

- default

ports:

- '137:137/udp'
- '138:138/udp'
- '139:139/tcp'
- '445:445/tcp'

read_only: true

tmpfs:

- /tmp

restart: unless-stopped

stdin_open: true

tty: true

volumes:

- samba:/mnt:z

command:

- s "tmp;/mnt/tmp;no;no;no;bodo"
- s "downloads;/mnt/downloads;no;no;no;bodo"
- s "watch;/mnt/watch;no;no;no;bodo"

volumes:

sabnzbd-config:

samba:

networks:

discovery:

default:

driver: bridge

Revision #3

Created 2019-11-21 18:29:40 UTC by Bodo

Updated 2019-11-21 18:35:31 UTC by Bodo